

PCR

INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

S-E-C-R-E-T
NOFORN

50X1-HUM

COUNTRY	East Germany	REPORT	
SUBJECT	Planned Development of Industrial Requirements for Cast Steel from 1960-1965	DATE DISTR.	26 MAY 1960
		NO. PAGES	2
		REFERENCES	RD
DATE OF INFO.			50X1-HUM
PLACE & DATE ACQ.			
SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE. 50X1-HUM			

[Redacted] report concerning planned production in the steel industry in East Germany as set down in the Seven-Year Plan:

1. Planned development of industrial requirements for steel casting.
(Stahlguss):

	1960	1961	1962	1963	1964	1965
VVB WM (Werkzeugmaschinen)	18500	20800	24000	28000	31010	34000
VVB Chemie-u.Klimaanlagen	5100	6200	7000	7600	8200	8900
VVB Bau-, Baustoffmaschinen	8700	9300	10400	11000	11600	13000
VVB Automobilbau	6050	6618	7148	7618	8190	8768
VVB Landmaschinen u.Traktorenbau	16900	23200	24100	23600	23400	24000
VVB Textima	320	461	440	513	548	586
VVB Armaturen	11840	12967	14648	15724	16800	21500
VVB Elektromaschinenbau	9017	9520	10550	11850	12370	13780
VVB Hochspannungsgeräte und Kabel	4465	4500	5265	5790	6715	7235

2. Development of steel castings (Stahlformguss) in thousands of tons (Tt)

1958	208.0	1964	279.0
1959	226.0	1965	288.0
1960	232.0		
1961	242.0		
1962	255.0		
1963	267.0		

S-E-C-R-E-T
NOFORN*J*

STATE	#X	ARMY	#X	NAVY	#X	AIR	#X	NSA	X	FBI		ORR	EV	
-------	----	------	----	------	----	-----	----	-----	---	-----	--	-----	----	--

(Note: Washington distribution indicated by "X"; Field distribution by "#".)

INFORMATION REPORT INFORMATION REPORT

S-E-C-R-E-T
-2-

50X1-HUM

3. Molding Process (Maskenformverfahren)

An increase by 1965 to 30,000 tons a year

The following increase in shaped castings (Formguss):

Gray cast iron (Grauguss) 162 %

Steel Castings (Stahlformguss) 138 %

Malleable cast iron (Temperguss) 184 %

Light-metal casting (Leichtmetallguss) 240 %

50X1-HUM

Heavy-metal casting (Schwermetallguss) 150 %

S-E-C-R-E-T

Page Denied

Next 1 Page(s) In Document Denied